UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,557	10/11/2005	Peter Westphal	3081.126US01	8968
24113 7590 05/12/2009 PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A. 4800 IDS CENTER			EXAMINER	
			CHAPEL, DEREK S	
80 SOUTH 8TH STREET MINNEAPOLIS, MN 55402-2100			ART UNIT	PAPER NUMBER
			2872	
			MAIL DATE	DELIVERY MODE
			05/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Commence		10/552,557	WESTPHAL ET AL.			
	Office Action Summary	Examiner	Art Unit			
		DEREK S. CHAPEL	2872			
Period fo	The MAILING DATE of this communication	appears on the cover sheet with	the correspondence address			
A SH WHIC - Exter after - If NC - Failu Any I	ORTENED STATUTORY PERIOD FOR RESHEVER IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication period for reply is specified above, the maximum statutory pere to reply within the set or extended period for reply will, by steply received by the Office later than three months after the mad patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNICA R 1.136(a). In no event, however, may a repl riod will apply and will expire SIX (6) MONTH atute, cause the application to become ABAN	ATION. ly be timely filed IS from the mailing date of this communication. NDONED (35 U.S.C. § 133).			
Status						
	Responsive to communication(s) filed on <u>0</u>	4 February 2000				
′=	· · · · · · · · · · · · · · · · · · ·	This action is non-final.				
3)	<i>'</i> —		s prosecution as to the merits is			
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
	·	or Ex parto Quayro, 1000 C.B.	11, 100 0.0. 210.			
Dispositi	on of Claims					
4)🛛	4)⊠ Claim(s) <u>29,31-35 and 37-62</u> is/are pending in the application.					
	4a) Of the above claim(s) 35 and 37-62 is/are withdrawn from consideration.					
5)) Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>29</u> is/are rejected.					
7)🛛						
8)						
Applicati	on Papers					
91	The specification is objected to by the Exam	niner				
10)⊠ The drawing(s) filed on <u>11 October 2005</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
10/23	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	The oath or declaration is objected to by the		•			
11/	The dath of decidration is objected to by the	Examinor. Note the attached	Since Action of format 10 102.			
Priority ι	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notic 3) Inform	t (s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date <u>10/11/2005</u> .	Paper No(s)/l	mmary (PTO-413) Mail Date ormal Patent Application			

Art Unit: 2872

DETAILED ACTION

Status Of Claims

1. This Office Action is in response to an amendment received 2/4/2009 in which Applicant lists claims 35 and 37-62 as being withdrawn, claims 1-28, 30 and 36 as being cancelled, claims 31-34 as being previously presented, and claim 29 as being currently amended. It is interpreted by the examiner that claims 29, 31-35 and 37-62 are pending.

Information Disclosure Statement

- 2. The information disclosure statement filed 10/11/2005 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of **each** cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the lined through references therein have not been considered (**see specifically JP 04077703**, a complete copy of which has not been provided).
- 3. The information disclosure statement filed 10/11/2005 fails to comply with 37 CFR 1.98(a)(3) because it does not include a concise explanation of the relevance, as it is presently understood by the individual designated in 37 CFR 1.56(c) most knowledgeable about the content of the information, of each patent listed that is not in the English language. It has been placed in the application file, but the lined through references therein have not been considered (see specifically EP 1164403 A1, which applicant has argued that US 6,989,367B2 is the English language equivalent but does not seem to be related to EP 1164403 A1).

Art Unit: 2872

Drawings

- 4. The drawings are objected to because figures 8 and 9 include words that are in German. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 5. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "first imaging optics imaging the emitting surface in a field aperture and second imaging optics imaging the field aperture plane in a lens plane" (see claim 29) and the limitations of claims 33 and 34 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Art Unit: 2872

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

6. The abstract of the disclosure is objected to because "includes" should be changed to --including-- on the first line of the abstract. Correction is required. See MPEP § 608.01(b).

Claim Objections

7. Claims 31-34 are objected to because of the following informalities: they depend from cancelled claim 30. Accordingly, claims 31-34 have not been further treated on the merits. Appropriate correction is required.

Art Unit: 2872

Claim Rejections - 35 USC § 112

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

9. Claim 29 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is not clear from the claims or the specification what is meant by "a lens plane". Is the second imaging optics imaging the field aperture plane onto one or more of the lenses in the system or onto a particular "lens plane" (i.e. focal plane of a lens)?

Response to Arguments

10. Applicant's arguments filed 2/4/2009 have been fully considered but they are not persuasive. Applicant's affidavit appears to just state that a lens has a plane running through the center of it, perpendicular to the optical axis, that is the "lens plane". So, what element is making up the "second imaging optics". Further, are the second imaging optics imaging the field aperture plane onto one or more of the actual lenses in the system (i.e. forming the image at the lens plane of another undisclosed lens) or is the "second imaging optics" merely just forming an image of the "field aperture plane" at a focal plane of that lens?

Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2872

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DEREK S. CHAPEL whose telephone number is (571)272-8042. The examiner can normally be reached on M-F 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephone B. Allen can be reached on 571-272-2434. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. S. C./ Examiner, Art Unit 2872 5/6/2009 /Stephone B. Allen/ Supervisory Patent Examiner Art Unit 2872